

PREFABRICATED ELEMENT FOR SLIDING DOOR


» DO IT FAST » DO IT SMART



LIUNE®  
SIMPLIFY YOUR DOORS



LIUNE  
NORDIC  
DESIGN



LIVING | OFFICES | PUBLIC PREMISES

# LIVING LARGE WITH LIUNE

Liune dividing doors have been created to support our everyday lives. The Liune innovation was born as a result of the union of a top architect's vision and Aulis Lundell Oy's light construction expertise more than a decade ago. Liune is developed for professional construction projects pursuant to indoor construction standards starting from 66 mm wall depths.

Liune solved a problem that was the lack of space. Future construction requires carbon-neutral construction, and Liune's environmental product declaration EPD helps designers manage the whole project as early as at the building permit stage. Liune prefabricated dividing doors have been developed to facilitate construction and shorten construction time.

From the very beginning, Liune's strict criteria have included not only quick and easy installation, but also a high level of quality. An essential part of Liune quality is Scandinavian design. The Liune range has been supplemented with hinged doors, so that all interior door surfaces can now be made to follow a uniform, stylish look. We have also reimagined our door range again, which you can access through our brochure and website.

We would like to present new interior design trends and space solutions to you in our showrooms in Helsinki and Tampere, where you are most welcome to visit!

Wishing you wonderful moments with interior design!



Leena Lundell  
Chairman of the Board

LIUNE  
NORDIC  
DESIGN





TIKKURILA'S FULL COLOUR RANGE IS AVAILABLE FOR DOORS AND JAMB KITS WHEN THE DOOR IS MARKED WITH THIS LOGO.



DOORS MARKED WITH THIS LOGO CAN ALSO BE ORDERED AS LIUNE SPACE HINGED DOORS.



## CONTENTS

|                 |   |
|-----------------|---|
| LIUNE-WHY ..... | 4 |
| LIUNE-HOW ..... | 5 |

### SOLID DOORS ..... 6

|                   |    |
|-------------------|----|
| D1 HOPE .....     | 7  |
| D2 STRENGTH ..... | 8  |
| D3 MAGIC .....    | 10 |
| D6 MOUNTAIN ..... | 12 |
| D13 WAVE .....    | 14 |
| D16 DESIGN .....  | 16 |
| D17 EFFECT .....  | 18 |
| D19 DOOR40 .....  | 20 |

### WET AREA AND SAUNA DOORS ..... 22

|                |    |
|----------------|----|
| D5 THEME ..... | 23 |
| D11 HEAT ..... | 24 |

### PANEL- AND GLASS DOORS ..... 26

|                   |    |
|-------------------|----|
| D4 CLASSIC .....  | 27 |
| D7 LIGHT .....    | 28 |
| D8 STAR .....     | 30 |
| D9 TIME .....     | 32 |
| D10 REFLECT ..... | 34 |
| D23 STRIPE .....  | 36 |
| D24 CITY .....    | 38 |
| D25 JOY .....     | 40 |
| D26 SMILE .....   | 42 |

### SPECIAL DOORS ..... 44

|                |    |
|----------------|----|
| D18 CALM ..... | 45 |
| D22 SAFE ..... | 46 |

### SURFACE DOORS ..... 48

|                              |    |
|------------------------------|----|
| D15 BASIC SURFACE .....      | 49 |
| D15 SURFACE DECORATION ..... | 50 |

### ART AND PRINT DOORS ... 52

|                       |    |
|-----------------------|----|
| D14 MY LIUNE .....    | 53 |
| D20 ART .....         | 54 |
| MOOMIN BY LIUNE ..... | 56 |

### LIUNE BLACK ..... 58

|                       |    |
|-----------------------|----|
| D21 BLACK MDF .....   | 59 |
| D21 BLACK GLASS ..... | 60 |

|   |    |
|---|----|
| LIUNE-MEASUREMENTS .....                | 63 |
| LIUNE-ELEMENTS .....                    | 64 |
| TECHNICAL FEATURES .....                | 70 |
| LIUNE-JAMB KIT .....                    | 71 |
| LIUNE-HANDLES .....                     | 72 |
| LIUNE-LOCKS .....                       | 74 |
| LIUNE-HANDLE AND LOCK COMBINATION ..... | 76 |
| LIUNE-ACCESSORIES .....                 | 78 |
| LIUNE-PROPERTIES .....                  | 79 |
| LIUNE-DELIVERY .....                    | 80 |
| LIUNE-INSTALLATION .....                | 81 |
| LIUNE-ORDER .....                       | 82 |

# LIUNE-WHY

## WHY CHOOSE LIUNE DOOR?

**LIUNE IS MORE THAN A MERE DOOR.** Liune door is an accomplishment of Finnish design at its best. Patented and developed for the Nordic standards serves detailed and quality guaranteed sliding door systems. Liune Door System is easy to install inside the partition wall where the door leaf smoothly slides inside the wall structure. Liune doors ergonomical functions ensure that the door is never in the way. It can be locked to its position by lightly pushing the door leaf inside the wall structure. Liune Door System offers every feature and element needed for a well-structured sliding door system. The delivery has it all – finished welded wall element inside of which the partition door slides, sliding partition door leaf and pre-cut covering jams.



Liune Door frees passageway down the lobby or hallway and provides more floor space for your benefit in other spaces, such as the living room and the bedroom.

**UNIQUE AND EXCLUSIVE INSTALLATION- READY ELEMENT** – designed to be compatible with the standard partition wall depths from 66 mm up to 120 mm.

**SAFETY** – leaves the doorway clear of any unnecessary objects. The door locks inside the wall and opens smoothly.

**NORDIC DESIGN** – high quality and durable materials. Fast and reliable deliveries!

**RESPONSIBILITY** – EPD environmental declaration shows that Liune is also a responsible choice.

**COMPLETELY UNHINDERED PASSAGE** – no thresholds.



# LIUNE-HOW

## HOW TO CHOOSE LIUNE DOOR?

### 1. DOOR p. 6-61

Browse through the door section of our brochure to select the door that meets your needs.

### 2. ELEMENT p. 63-69

Select the element that you prefer. We have single door-, double door-, corner door elements and many more. Select the element on the preferred door size or on the maximum room available for your element at your project. Our elements are available in 5 different depths depending on your wall thickness. Always combine the door size with the element size.

### 3. JAMB KIT p. 71

The door jamb kit follows the choices made at 1 and 2. We have door jamb kits for all our different doors and elements.

### 4. HANDLES AND LOCKS p. 72-75

Handles and locks are available for both wooden and glass doors.

### 5. ACCESSORIES p. 78

Complete your door with our optional accessories.

### 6. ORDER p. 82

Fill in the order form for your own sliding door.

#### EXAMPLE SINGLE DOOR

|                            |                     |
|----------------------------|---------------------|
| <b>Door</b>                | <b>Door size</b>    |
| LI08 x 2100                | 831 x 2060 mm       |
| <b>Single door element</b> | <b>Element size</b> |
| LI08 x 2100                | 1735 x 2130 mm      |

#### EXAMPLE DOUBLE DOOR

|                            |                     |
|----------------------------|---------------------|
| <b>Door</b>                | <b>Door size</b>    |
| 2 x LI08 x 2100            | 831 x 2060 mm       |
| <b>Double door element</b> | <b>Element size</b> |
| LI016 x 2100               | 3338 x 2130 mm      |

More Liune measurements p. 63




# Solid doors

Embedded handles  
allow the door  
to slide completely  
into the wall.




# D1 HOPE

Hope is an modern massive door of 40 mm thickness, the standard colour shade is white. However, door colour can be chosen freely according to the interior designers' plan.



|                         |                                       |
|-------------------------|---------------------------------------|
| <b>MATERIAL</b>         | <b>MASSIVE MDF</b>                    |
| <b>THICK</b>            | <b>40 mm</b>                          |
| <b>SURFACE</b>          | <b>SATIN</b>                          |
| <b>COLOUR</b>           | <b>WHITE NCS S0502-Y / RAL 9010</b>   |
| <b>SOUND INSULATION</b> | <b>Rw 28 dB</b>                       |
| <b>FEATURES</b>         | <b>MANY DIFFERENT LOCKS AVAILABLE</b> |



| Door size | Door leaf width x height |             |             |             |             |
|-----------|--------------------------|-------------|-------------|-------------|-------------|
|           | 2100                     | 2300        | 2400        | 2500        | 2600        |
| LI04      | 431 X 2060               |             |             |             |             |
| LI05      | 531 X 2060               |             |             |             |             |
| LI06      | 631 X 2060               |             |             |             |             |
| LI07      | 731 X 2060               | 731 X 2310  |             |             |             |
| LI08      | 831 X 2060               | 831 X 2310  | 831 X 2410  | 831 X 2510  | 831 X 2610  |
| LI09      | 931 X 2060               | 931 X 2310  | 931 X 2410  | 931 X 2510  | 931 X 2610  |
| LI010     | 1031 X 2060              | 1031 X 2310 | 1031 X 2410 | 1031 X 2510 | 1031 X 2610 |
| LI011     | 1131 X 2060              | 1131 X 2310 | 1131 X 2410 | 1131 X 2510 | 1131 X 2610 |
| LI012     | 1231 X 2060              | 1231 X 2310 | 1231 X 2410 | 1231 X 2510 | 1231 X 2610 |

## COMBINATION ELEMENT:


Single Door element  
Double Door element  
Corner Door element  
Renovation element  
Automation element

# D2 STRENGTH




# D2 STRENGTH

Liune D2 STRENGTH is a beautiful white laminated door. Scratch-resistant for spaces with a lot of wear and tear, such as public premises, hospitals, restaurants etc.



|                         |                                     |
|-------------------------|-------------------------------------|
| <b>MATERIAL</b>         | <b>CHIPBOARD</b>                    |
| <b>THICK</b>            | <b>27 or 40 mm</b>                  |
| <b>SURFACE</b>          | <b>LAMINATE</b>                     |
| <b>COLOUR</b>           | <b>WHITE NCS S0502-Y / RAL 9010</b> |
| <b>SOUND INSULATION</b> | <b>Rw 23 dB</b>                     |
| <b>FEATURES</b>         | <b>SCRATCH-RESISTANT</b>            |



| Door size | Door leaf width x height |             |             |             |             |
|-----------|--------------------------|-------------|-------------|-------------|-------------|
|           | 2100                     | 2300        | 2400        | 2500        | 2600        |
| LI04      | 431 X 2060               |             |             |             |             |
| LI05      | 531 X 2060               |             |             |             |             |
| LI06      | 631 X 2060               |             |             |             |             |
| LI07      | 731 X 2060               | 731 X 2310  |             |             |             |
| LI08      | 831 X 2060               | 831 X 2310  | 831 X 2410  | 831 X 2510  | 831 X 2610  |
| LI09      | 931 X 2060               | 931 X 2310  | 931 X 2410  | 931 X 2510  | 931 X 2610  |
| LI010     | 1031 X 2060              | 1031 X 2310 | 1031 X 2410 | 1031 X 2510 | 1031 X 2610 |
| LI011     | 1131 X 2060              | 1131 X 2310 | 1131 X 2410 | 1131 X 2510 | 1131 X 2610 |
| LI012     | 1231 X 2060              | 1231 X 2310 | 1231 X 2410 | 1231 X 2510 | 1231 X 2610 |


## COMBINATION ELEMENT:

Single Door element  
Double Door element  
Corner Door element  
Renovation element  
Automation element


# D3 MAGIC

# D3 MAGIC

**Silence as a standard.** Inspiration for Liune's most popular door model comes from unobstructed accessibility and fine Nordic design without sacrificing the beauty. Being secure and reliable the solid interior door painted in white is also very silent.



|                         |                                     |
|-------------------------|-------------------------------------|
| <b>MATERIAL</b>         | <b>SOLID MDF</b>                    |
| <b>THICK</b>            | <b>25 mm</b>                        |
| <b>SURFACE</b>          | <b>SATIN</b>                        |
| <b>COLOUR</b>           | <b>WHITE NCS S0502-Y / RAL 9010</b> |
| <b>SOUND INSULATION</b> | <b>Rw 23 dB</b>                     |
| <b>FEATURES</b>         | <b>MOST POPULAR MODEL</b>           |



| Door size | Door leaf width x height |             |             |             |             |
|-----------|--------------------------|-------------|-------------|-------------|-------------|
|           | 2100                     | 2300        | 2400        | 2500        | 2600        |
| LI04      | 431 X 2060               |             |             |             |             |
| LI05      | 531 X 2060               |             |             |             |             |
| LI06      | 631 X 2060               |             |             |             |             |
| LI07      | 731 X 2060               | 731 X 2310  |             |             |             |
| LI08      | 831 X 2060               | 831 X 2310  | 831 X 2410  | 831 X 2510  | 831 X 2610  |
| LI09      | 931 X 2060               | 931 X 2310  | 931 X 2410  | 931 X 2510  | 931 X 2610  |
| LI010     | 1031 X 2060              | 1031 X 2310 | 1031 X 2410 | 1031 X 2510 | 1031 X 2610 |
| LI011     | 1131 X 2060              | 1131 X 2310 | 1131 X 2410 | 1131 X 2510 | 1131 X 2610 |
| LI012     | 1231 X 2060              | 1231 X 2310 | 1231 X 2410 | 1231 X 2510 | 1231 X 2610 |

## COMBINATION ELEMENT:

Single Door element  
Double Door element  
Renovation element  
Automation element



# D6 MOUNTAIN



# D6 MOUNTAIN

Wood brings warmth to your home. Multi-functional white door jambs come standard.  
Alternatively options are veneer jambs that match the MOUNTAIN door.



|                         |                                    |
|-------------------------|------------------------------------|
| <b>MATERIAL</b>         | <b>SOLID MDF</b>                   |
| <b>THICK</b>            | <b>27 mm</b>                       |
| <b>SURFACE</b>          | <b>VENEER</b>                      |
| <b>COLOUR</b>           | <b>OAK – BIRCH – WALNUT – PINE</b> |
| <b>SOUND INSULATION</b> | <b>Rw 23 dB</b>                    |
| <b>FEATURES</b>         | <b>VENEER JAMB KIT OPTION</b>      |



| Door size | Door leaf width x height |             |             |             |             |
|-----------|--------------------------|-------------|-------------|-------------|-------------|
|           | 2100                     | 2300        | 2400        | 2500        | 2600        |
| LI04      | 431 X 2060               |             |             |             |             |
| LI05      | 531 X 2060               |             |             |             |             |
| LI06      | 631 X 2060               |             |             |             |             |
| LI07      | 731 X 2060               | 731 X 2310  |             |             |             |
| LI08      | 831 X 2060               | 831 X 2310  | 831 X 2410  | 831 X 2510  | 831 X 2610  |
| LI09      | 931 X 2060               | 931 X 2310  | 931 X 2410  | 931 X 2510  | 931 X 2610  |
| LI010     | 1031 X 2060              | 1031 X 2310 | 1031 X 2410 | 1031 X 2510 | 1031 X 2610 |
| LI011     | 1131 X 2060              | 1131 X 2310 | 1131 X 2410 | 1131 X 2510 | 1131 X 2610 |
| LI012     | 1231 X 2060              | 1231 X 2310 | 1231 X 2410 | 1231 X 2510 | 1231 X 2610 |

## COMBINATION ELEMENT:

Single Door element  
Double Door element  
Renovation element  
Automation element

# D13 WAVE

# D13 WAVE

At LIMITED EDITION we have been manufacturing high-quality decorative LIUNE door leafs for your pocket door for over 15 years. Our creativity is LIMITLESS! Feel free to create your own door.



|                         |                                     |
|-------------------------|-------------------------------------|
| <b>MATERIAL</b>         | <b>FREE OF CHOICE</b>               |
| <b>THICK</b>            | <b>8-40 mm</b>                      |
| <b>SURFACE</b>          | <b>ACCORDING TO PLAN</b>            |
| <b>COLOUR</b>           | <b>WHITE NCS S0502-Y / RAL 9010</b> |
| <b>SOUND INSULATION</b> | <b>DEPENDING ON MATERIAL</b>        |
| <b>FEATURES</b>         | <b>CREATE YOUR OWN UNIQUE DOOR</b>  |



Print  
glass/mdf



Glass and wood  
combination



We manufacture  
the D13 Limited  
Edition unique  
door leaf.

| Door<br>size | Door leaf width x height for wooden door |             |             |             |             |
|--------------|--|-------------|-------------|-------------|-------------|
|              | 2100                                     | 2300        | 2400        | 2500        | 2600        |
| LI04         | 431 X 2060                               |             |             |             |             |
| LI05         | 531 X 2060                               |             |             |             |             |
| LI06         | 631 X 2060                               |             |             |             |             |
| LI07         | 731 X 2060                               | 731 X 2310  |             |             |             |
| LI08         | 831 X 2060                               | 831 X 2310  | 831 X 2410  | 831 X 2510  | 831 X 2610  |
| LI09         | 931 X 2060                               | 931 X 2310  | 931 X 2410  | 931 X 2510  | 931 X 2610  |
| LI010        | 1031 X 2060                              | 1031 X 2310 | 1031 X 2410 | 1031 X 2510 | 1031 X 2610 |
| LI011        | 1131 X 2060                              | 1131 X 2310 | 1131 X 2410 | 1131 X 2510 | 1131 X 2610 |
| LI012        | 1231 X 2060                              | 1231 X 2310 | 1231 X 2410 | 1231 X 2510 | 1231 X 2610 |

## COMBINATION ELEMENT:

Single Door element  
Double Door element  
Corner Door element  
Renovation element  
Automation element




# D16 DESIGN




# D16 DESIGN

The high Design-door standard heights of our new door collection mount from 2300, 2400, 2500 and 2600 mm. The door has a fresh white colour. The door jambs of High-Design are the same shade as the door.



|                         |   |
|-------------------------|---|
| <b>MATERIAL</b>         | <b>ACCORDING TO DOOR MODEL</b>            |
| <b>THICK</b>            | <b>25, 40 mm</b>                          |
| <b>SURFACE</b>          | <b>ACCORDING TO DOOR MODEL</b>            |
| <b>COLOUR</b>           | <b>WHITE NCS S0502-Y / RAL 9010</b>       |
| <b>SOUND INSULATION</b> | <b>ACCORDING TO DOOR MODEL</b>            |
| <b>FEATURES</b>         | <b>AVAILABLE IN DIFFERENT DOOR MODELS</b> |



| Door size | Door leaf width x height |             |             |             |
|-----------|--------------------------|-------------|-------------|-------------|
|           | 2300                     | 2400        | 2500        | 2600        |
| LI04      |                          |             |             |             |
| LI05      |                          |             |             |             |
| LI06      |                          |             |             |             |
| LI07      | 731 X 2310               |             |             |             |
| LI08      | 831 X 2310               | 831 X 2410  | 831 X 2510  | 831 X 2610  |
| LI09      | 931 X 2310               | 931 X 2410  | 931 X 2510  | 931 X 2610  |
| LI010     | 1031 X 2310              | 1031 X 2410 | 1031 X 2510 | 1031 X 2610 |
| LI011     | 1131 X 2310              | 1131 X 2410 | 1131 X 2510 | 1131 X 2610 |
| LI012     | 1231 X 2310              | 1231 X 2410 | 1231 X 2510 | 1231 X 2610 |


## COMBINATION ELEMENT:

Single Door element  
Double Door element  
Corner Door element  
Renovation element  
Automation element


# D17 EFFECT

# D17 EFFECT

When you need a durable and long-lasting door leaf. Melamine door is a cost-effective solution.



|                         |                                     |
|-------------------------|-------------------------------------|
| <b>MATERIAL</b>         | <b>CHIPBOARD / MELAMINE</b>         |
| <b>THICK</b>            | <b>25 mm</b>                        |
| <b>SURFACE</b>          | <b>SATIN</b>                        |
| <b>COLOUR</b>           | <b>WHITE NCS S0502-Y / RAL 9010</b> |
| <b>SOUND INSULATION</b> | <b>Rw 23 dB</b>                     |
| <b>FEATURES</b>         | <b>STANDARD COLOUR WHITE</b>        |



| Door size | Door leaf width x height |             |             |             |             |
|-----------|--------------------------|-------------|-------------|-------------|-------------|
|           | 2100                     | 2300        | 2400        | 2500        | 2600        |
| LI04      | 431 X 2060               |             |             |             |             |
| LI05      | 531 X 2060               |             |             |             |             |
| LI06      | 631 X 2060               |             |             |             |             |
| LI07      | 731 X 2060               | 731 X 2310  |             |             |             |
| LI08      | 831 X 2060               | 831 X 2310  | 831 X 2410  | 831 X 2510  | 831 X 2610  |
| LI09      | 931 X 2060               | 931 X 2310  | 931 X 2410  | 931 X 2510  | 931 X 2610  |
| LI010     | 1031 X 2060              | 1031 X 2310 | 1031 X 2410 | 1031 X 2510 | 1031 X 2610 |
| LI011     | 1131 X 2060              | 1131 X 2310 | 1131 X 2410 | 1131 X 2510 | 1131 X 2610 |
| LI012     | 1231 X 2060              | 1231 X 2310 | 1231 X 2410 | 1231 X 2510 | 1231 X 2610 |

## COMBINATION ELEMENT:


Single Door element  
Double Door element  
Renovation element  
Automation element

# D19 DOOR40




# D19 DOOR40

DOOR40 is a smooth painted door with a thickness of 32 mm and is also suitable for a element depth of 66 and 70 mm.



|                         |   |
|-------------------------|---|
| <b>MATERIAL</b>         | <b>MASSIVE MDF</b>  |
| <b>THICK</b>            | <b>32 mm</b>  |
| <b>SURFACE</b>          | <b>SATIN</b>  |
| <b>COLOUR</b>           | <b>WHITE NCS S0502-Y / RAL 9010</b>                               |
| <b>SOUND INSULATION</b> | <b>Rw 23 dB</b>   |
| <b>FEATURES</b>         | <b>LIUNE SPACE HINGED DOORS<br/>ONLY HANDLE OPTIONS, NO LOCKS</b> |



| Door size | Door leaf width x height |      |      |      |      |
|-----------|--------------------------|------|------|------|------|
|           | 2100                     | 2300 | 2400 | 2500 | 2600 |
| LI04      |                          |      |      |      |      |
| LI05      |                          |      |      |      |      |
| LI06      |                          |      |      |      |      |
| LI07      | 731 X 2060               |      |      |      |      |
| LI08      | 831 X 2060               |      |      |      |      |
| LI09      | 931 X 2060               |      |      |      |      |
| LI010     | 1031 X 2060              |      |      |      |      |
| LI011     | 1131 X 2060              |      |      |      |      |
| LI012     | 1231 X 2060              |      |      |      |      |


## COMBINATION ELEMENT:

Single Door element  
Double Door element  
Renovation element  
Automation element

The door materials of Liune have been carefully selected taking the level of usage in homes into account.




# Wet area and sauna doors




# D5 THEME

Liune door is never in the way so you can freely place washing machines, cabinets, or other bathroom accessories where you want. D5 THEME of Liune suits perfectly for wet areas.  
The door jams of the Theme are also moisture-resistant.



|                         |                                     |
|-------------------------|-------------------------------------|
| <b>MATERIAL</b>         | <b>SOLID WATERPROOF MDF</b>         |
| <b>THICK</b>            | <b>25 mm</b>                        |
| <b>SURFACE</b>          | <b>MOISTURE RESISTANT SATIN</b>     |
| <b>COLOUR</b>           | <b>WHITE NCS S0502-Y / RAL 9010</b> |
| <b>SOUND INSULATION</b> | <b>Rw 23 dB</b>                     |
| <b>FEATURES</b>         | <b>MOISTURE RESISTANT</b>           |



| Door size | Door leaf width x height |             |             |             |             |
|-----------|--------------------------|-------------|-------------|-------------|-------------|
|           | 2100                     | 2300        | 2400        | 2500        | 2600        |
| LI04      | 431 X 2060               |             |             |             |             |
| LI05      | 531 X 2060               |             |             |             |             |
| LI06      | 631 X 2060               |             |             |             |             |
| LI07      | 731 X 2060               | 731 X 2310  |             |             |             |
| LI08      | 831 X 2060               | 831 X 2310  | 831 X 2410  | 831 X 2510  | 831 X 2610  |
| LI09      | 931 X 2060               | 931 X 2310  | 931 X 2410  | 931 X 2510  | 931 X 2610  |
| LI010     | 1031 X 2060              | 1031 X 2310 | 1031 X 2410 | 1031 X 2510 | 1031 X 2610 |
| LI011     | 1131 X 2060              | 1131 X 2310 | 1131 X 2410 | 1131 X 2510 | 1131 X 2610 |
| LI012     | 1231 X 2060              | 1231 X 2310 | 1231 X 2410 | 1231 X 2510 | 1231 X 2610 |

**COMBINATION ELEMENT:**  
**Wet area element**






# D11 HEAT




# D11 HEAT

**Finally, a sliding door suitable for a sauna!** Liune Door is a partition door that slides into a structure, which has been carefully designed to give you a lot of additional space to use, and this door type gives you a new kind of door for your sauna and any bathroom which requires more space.




|                         |   |  |
|-------------------------|---|--|
| <b>MATERIAL</b>         | <b>GLASS / WOOD</b>                           |  |
| <b>THICK</b>            | <b>8, 32 mm</b>                               |  |
| <b>SURFACE</b>          | <b>ACCORDING TO DOOR MODEL</b>                |  |
| <b>COLOUR</b>           | <b>WOOD</b>                                   | <b>UNTREATED</b>                             |
|                         | <b>GLASS</b>                                  | <b>BRIGHT – OPAL – GREY OPAL – DARK GREY</b> |
| <b>SOUND INSULATION</b> | <b>-</b>                                      |  |
| <b>FEATURES</b>         | <b>THE STRUCTURE HAS BEEN HUMIDITY TESTED</b> |  |




| <b>Door size</b> | <b>Door leaf width x height 2100</b> |
|------------------|--------------------------------------|
| LI07             | 831 X 1960                           |
| LI08             | 931 X 1960                           |
| LI09             | 1031 X 1960                          |
| LI010            | 1131 X 1960                          |
| LI011            | 1231 X 1960                          |
| LI012            | 1331 X 1960                          |

**COMBINATION ELEMENT:**  
**Sauna element**






# Panel- and glass doors



More functionality  
with Liune.



# D4 CLASSIC

**Traditional ambiance or modern nuance?** The milled panel door by Liune can be delivered to the customer in the desired panel option. The white colour creates a clean, pure and safe atmosphere and fits with all kinds of interiors.



CLASSIC




STYLE



MANSION

|                         |   |
|-------------------------|---|
| <b>MATERIAL</b>         | <b>SOLID MDF</b>                          |
| <b>THICK</b>            | <b>25 mm</b>                              |
| <b>SURFACE</b>          | <b>SATIN</b>                              |
| <b>COLOUR</b>           | <b>WHITE NCS S0502-Y / RAL 9010</b>       |
| <b>SOUND INSULATION</b> | <b>Rw 23 dB</b>                           |
| <b>FEATURES</b>         | <b>CUSTOMER MILLED OPTIONS ON REQUEST</b> |



| Door size | Door leaf width x height |             |             |             |             |
|-----------|--------------------------|-------------|-------------|-------------|-------------|
|           | 2100                     | 2300        | 2400        | 2500        | 2600        |
| LI04      |                          |             |             |             |             |
| LI05      |                          |             |             |             |             |
| LI06      | 631 X 2060               |             |             |             |             |
| LI07      | 731 X 2060               | 731 X 2310  |             |             |             |
| LI08      | 831 X 2060               | 831 X 2310  | 831 X 2410  | 831 X 2510  | 831 X 2610  |
| LI09      | 931 X 2060               | 931 X 2310  | 931 X 2410  | 931 X 2510  | 931 X 2610  |
| LI010     | 1031 X 2060              | 1031 X 2310 | 1031 X 2410 | 1031 X 2510 | 1031 X 2610 |
| LI011     | 1131 X 2060              | 1131 X 2310 | 1131 X 2410 | 1131 X 2510 | 1131 X 2610 |
| LI012     | 1231 X 2060              | 1231 X 2310 | 1231 X 2410 | 1231 X 2510 | 1231 X 2610 |

## COMBINATION ELEMENT:


Single Door element  
Double Door element  
Renovation element  
Automation element




# D7 LIGHT

# D7 LIGHT

Play with colours or enjoy a pure and bright white of Liune that is easy to combine and match to all and any colour in the interior decor. The amount of light openings are 6 or 12, depending on width of the door.



|                         |  |                                     |
|-------------------------|--|-------------------------------------|
| <b>MATERIAL</b>         | <b>SOLID MDF /<br/>6 mm LAMINATED SAFETY GLASS</b>   |                                     |
| <b>THICK</b>            | <b>25 mm</b>   |                                     |
| <b>SURFACE</b>          | <b>SATIN</b>   |                                     |
| <b>COLOUR</b>           | <b>MDF</b>   | <b>WHITE NCS S0502-Y / RAL 9010</b> |
|                         | <b>GLASS</b>   | <b>BRIGHT - OPAL - DARK GREY</b>    |
| <b>SOUND INSULATION</b> | <b>Rw 23 dB</b>  |                                     |
| <b>FEATURES</b>         | <b>LI06-LI07 ONE ROW OF SIX LIGHT OPENINGS<br/>LI08-LI012 TWO ROWS OF SIX LIGHT OPENINGS</b> |                                     |



| Door size | Door leaf width x height |             |      |      |      |
|-----------|--------------------------|-------------|------|------|------|
|           | 2100                     | 2300        | 2400 | 2500 | 2600 |
| LI04      |                          |             |      |      |      |
| LI05      |                          |             |      |      |      |
| LI06      | 631 x 2060               |             |      |      |      |
| LI07      | 731 X 2060               | 731 X 2310  |      |      |      |
| LI08      | 831 X 2060               | 831 X 2310  |      |      |      |
| LI09      | 931 X 2060               | 931 X 2310  |      |      |      |
| LI010     | 1031 X 2060              | 1031 X 2310 |      |      |      |
| LI011     | 1131 X 2060              | 1131 X 2310 |      |      |      |
| LI012     | 1231 X 2060              | 1231 X 2310 |      |      |      |

## COMBINATION ELEMENT:

Single Door element  
Double Door element  
Renovation element  
Automation element



# D8 STAR




# D8 STAR

The beautiful **panel door** suits ideally a spacious place where the amount of light should be maximized. Different purposes of your home can be taken into account in a way evoking the light to flood into the next room as well.



|                         |  |   |
|-------------------------|--|---|
| <b>MATERIAL</b>         | <b>SOLID MDF /<br/>6 mm LAMINATED SAFETY GLASS</b> |   |
| <b>THICK</b>            | <b>32 mm</b>                                       |   |
| <b>SURFACE</b>          | <b>COATED</b>                                      |   |
| <b>COLOUR</b>           | <b>MDF</b>   | <b>WHITE NCS S0502-Y / RAL 9010<br/>BLACK NCS S9000-N / RAL 9005<br/>OPAL</b> |
|                         | <b>GLASS</b>                                       |   |
| <b>SOUND INSULATION</b> | <b>Rw 23 dB</b>                                    |   |
| <b>FEATURES</b>         | <b>1 TO 4 PANELED GLASS DOOR</b>                   |   |



| Door size | Door leaf width x height |      |      |      |      |
|-----------|--------------------------|------|------|------|------|
|           | 2100                     | 2300 | 2400 | 2500 | 2600 |
| LI04      |                          |      |      |      |      |
| LI05      |                          |      |      |      |      |
| LI06      |                          |      |      |      |      |
| LI07      | 731 X 2060               |      |      |      |      |
| LI08      | 831 X 2060               |      |      |      |      |
| LI09      | 931 X 2060               |      |      |      |      |
| LI010     | 1031 X 2060              |      |      |      |      |
| LI011     |                          |      |      |      |      |
| LI012     |                          |      |      |      |      |


## COMBINATION ELEMENT:

Single Door element  
Double Door element  
Renovation element  
Automation element


# D9 TIME

# D9 TIME

**Thanks to the embedded handle** the glass doors are locked completely inside the wall structure. We recommend the use of a soft closer, for door closing which softens the motion of the door. It is possible to order a tempered laminated safety glass for day nurseries or day-care centers. The standard Liune Door comes as a tempered safety glass.



|                         |  |
|-------------------------|--|
| <b>MATERIAL</b>         | <b>TEMPERED SAFETY GLASS</b>                                 |
| <b>THICK</b>            | <b>8 mm</b>  |
| <b>SURFACE</b>          | <b>GLASS</b>   |
| <b>COLOUR</b>           | <b>BRIGHT – OPAL<br/>– GREY OPAL – DARK GREY<br/>– BLACK</b> |
| <b>SOUND INSULATION</b> | <b>Rw 17 dB</b>  |
| <b>FEATURES</b>         | <b>LOCKS AND HANDLES</b>                                     |



| Door size | Door leaf width x height |             |      |      |      |
|-----------|--------------------------|-------------|------|------|------|
|           | 2100                     | 2300        | 2400 | 2500 | 2600 |
| LI04      | 431 X 2040               |             |      |      |      |
| LI05      | 531 X 2040               |             |      |      |      |
| LI06      | 631 X 2040               |             |      |      |      |
| LI07      | 731 X 2040               | 731 X 2290  |      |      |      |
| LI08      | 831 X 2040               | 831 X 2290  |      |      |      |
| LI09      | 931 X 2040               | 931 X 2290  |      |      |      |
| LI010     | 1031 X 2040              | 1031 X 2290 |      |      |      |
| LI011     | 1131 X 2040              |             |      |      |      |
| LI012     | 1231 X 2040              |             |      |      |      |

## COMBINATION ELEMENT:


Single Door element  
Double Door element  
Corner Door element  
Renovation element  
Automation element




# D10 REFLECT

# D10 REFLECT

**Liune brings style to your home,** eases the use of space, and adds wideness to it. Reflect is a mirrored white panel door. Handles and locks are freely selectable just as the rest of the interior decoration and use of space would call for.



|                         |                                     |
|-------------------------|-------------------------------------|
| <b>MATERIAL</b>         | <b>SOLID MDF / 3+3 mm MIRROR</b>    |
| <b>THICK</b>            | <b>40 mm</b>                        |
| <b>SURFACE</b>          | <b>SATIN</b>                        |
| <b>COLOUR</b>           | <b>WHITE NCS S0502-Y / RAL 9010</b> |
| <b>SOUND INSULATION</b> | <b>Rw 22 dB</b>                     |
| <b>FEATURES</b>         | <b>MIRROR IS ON BOTH SIDES</b>      |



| Door size | Door leaf width x height |             |      |      |      |
|-----------|--------------------------|-------------|------|------|------|
|           | 2100                     | 2300        | 2400 | 2500 | 2600 |
| LI04      |                          |             |      |      |      |
| LI05      |                          |             |      |      |      |
| LI06      | 631 X 2060               |             |      |      |      |
| LI07      | 731 X 2060               | 731 X 2310  |      |      |      |
| LI08      | 831 X 2060               | 831 X 2310  |      |      |      |
| LI09      | 931 X 2060               | 931 X 2310  |      |      |      |
| LI010     | 1031 X 2060              | 1031 X 2310 |      |      |      |
| LI011     | 1131 X 2060              | 1131 X 2310 |      |      |      |
| LI012     | 1231 X 2060              | 1231 X 2310 |      |      |      |

## COMBINATION ELEMENT:

Single Door element  
Double Door element  
Corner Door element  
Renovation element  
Automation element






# D23 STRIPE

# D23 STRIPE

**Stripe brings a dynamic and fun touch to the space!** It is a stylish and eye-catching sleek smooth painted door with a milled pattern. The Liune Door and the hinged doors of the Liune Space collection form together a dynamic continuum in space and moment. There are several handle and lock options.



|                         |                                     |
|-------------------------|-------------------------------------|
| <b>MATERIAL</b>         | <b>SOLID MDF</b>                    |
| <b>THICK</b>            | <b>25 mm</b>                        |
| <b>SURFACE</b>          | <b>SATIN</b>                        |
| <b>COLOUR</b>           | <b>WHITE NCS S0502-Y / RAL 9010</b> |
| <b>SOUND INSULATION</b> | <b>Rw 22 dB</b>                     |
| <b>FEATURES</b>         | <b>MILLED PATERN</b>                |



| Door size | Door leaf width x height |             |             |             |             |
|-----------|--------------------------|-------------|-------------|-------------|-------------|
|           | 2100                     | 2300        | 2400        | 2500        | 2600        |
| LI04      | 431 X 2060               |             |             |             |             |
| LI05      | 531 X 2060               |             |             |             |             |
| LI06      | 631 X 2060               |             |             |             |             |
| LI07      | 731 X 2060               | 731 X 2310  |             |             |             |
| LI08      | 831 X 2060               | 831 X 2310  | 831 X 2410  | 831 X 2510  | 831 X 2610  |
| LI09      | 931 X 2060               | 931 X 2310  | 931 X 2410  | 931 X 2510  | 931 X 2610  |
| LI010     | 1031 X 2060              | 1031 X 2310 | 1031 X 2410 | 1031 X 2510 | 1031 X 2610 |
| LI011     | 1131 X 2060              | 1131 X 2310 | 1131 X 2410 | 1131 X 2510 | 1131 X 2610 |
| LI012     | 1231 X 2060              | 1231 X 2310 | 1231 X 2410 | 1231 X 2510 | 1231 X 2610 |

## COMBINATION ELEMENT:

Single Door element  
Double Door element  
Renovation element  
Automation element





# D24 CITY


# D24 CITY

Liune's trendy **CITY LOFT** is a white or alternatively black door model smoothed into an urban model, and when timelessness is desired, CITY is the right choice. The diagonal wood of the model is delivered as a separate piece and attached on the site.

CITY is a high-quality solid wood frame door for dry interiors.



|                         |  |
|-------------------------|--|
| <b>MATERIAL</b>         | <b>SOLID MDF</b>   |
| <b>THICK</b>            | <b>32 mm</b>   |
| <b>SURFACE</b>          | <b>COATED</b>  |
| <b>COLOUR</b>           | <b>WHITE NCS S0502-Y / RAL 9010</b><br><b>BLACK NCS S9000-N / RAL 9005</b> |
| <b>SOUND INSULATION</b> | <b>Rw 22 dB</b>  |
| <b>FEATURES</b>         | <b>YOU CAN CHOOSE THE DIRECTION OF THE DIAGONAL WOOD PIECE.</b>            |



| Door size | Door leaf width x height |      |      |      |      |
|-----------|--------------------------|------|------|------|------|
|           | 2100                     | 2300 | 2400 | 2500 | 2600 |
| LI04      |                          |      |      |      |      |
| LI05      |                          |      |      |      |      |
| LI06      |                          |      |      |      |      |
| LI07      | 731 X 2060               |      |      |      |      |
| LI08      | 831 X 2060               |      |      |      |      |
| LI09      | 931 X 2060               |      |      |      |      |
| LI010     | 1031 X 2060              |      |      |      |      |
| LI011     |                          |      |      |      |      |
| LI012     |                          |      |      |      |      |

## COMBINATION ELEMENT:


Single Door element  
Double Door element  
Renovation element  
Automation element

# D25 JOY




# D25 JOY

The **white solid door Joy** creates a cozy atmosphere in the space. A beautiful panel door is the right choice that fits many different interiors. Door Joy is also available in stylish black. A black panel door is always a trendy choice.



|                         |  |
|-------------------------|--|
| <b>MATERIAL</b>         | <b>SOLID MDF</b>   |
| <b>THICK</b>            | <b>32 mm</b>   |
| <b>SURFACE</b>          | <b>COATED</b>  |
| <b>COLOUR</b>           | <b>WHITE NCS S0502-Y / RAL 9010</b><br><b>BLACK NCS S9000-N / RAL 9005</b> |
| <b>SOUND INSULATION</b> | <b>Rw 22 dB</b>  |
| <b>FEATURES</b>         | <b>TRENDY CHOICE</b>   |



| Door size | Door leaf width x height |      |      |      |      |
|-----------|--------------------------|------|------|------|------|
|           | 2100                     | 2300 | 2400 | 2500 | 2600 |
| LI04      |                          |      |      |      |      |
| LI05      |                          |      |      |      |      |
| LI06      |                          |      |      |      |      |
| LI07      | 731 X 2060               |      |      |      |      |
| LI08      | 831 X 2060               |      |      |      |      |
| LI09      | 931 X 2060               |      |      |      |      |
| LI010     | 1031 X 2060              |      |      |      |      |
| LI011     |                          |      |      |      |      |
| LI012     |                          |      |      |      |      |

## COMBINATION ELEMENT:

Single Door element  
Double Door element  
Renovation element  
Automation element






# D26 SMILE

# D26 SMILE

The solid **SMILE** door is equipped with stylish opal glass, which brings light and spaciousness. A stylish frame in either white or black runs around the door model's edges.



|                         |                               |                                     |
|-------------------------|-------------------------------|-------------------------------------|
| <b>MATERIAL</b>         | <b>SOLID MDF</b>              |                                     |
| <b>THICK</b>            | <b>32 mm</b>                  |                                     |
| <b>SURFACE</b>          | <b>COATED</b>                 |                                     |
| <b>COLOUR</b>           | <b>MDF</b>                    | <b>WHITE NCS S0502-Y / RAL 9010</b> |
|                         | <b>GLASS</b>                  | <b>BLACK NCS S9000-N / RAL 9005</b> |
|                         |                               | <b>BRIGHT – OPAL</b>                |
| <b>SOUND INSULATION</b> | <b>Rw 23 dB</b>               |                                     |
| <b>FEATURES</b>         | <b>LIGHT AND SPACIOUSNESS</b> |                                     |




| Door size | Door leaf width x height |      |      |      |      |
|-----------|--------------------------|------|------|------|------|
|           | 2100                     | 2300 | 2400 | 2500 | 2600 |
| LI04      |                          |      |      |      |      |
| LI05      |                          |      |      |      |      |
| LI06      |                          |      |      |      |      |
| LI07      | 731 X 2060               |      |      |      |      |
| LI08      | 831 X 2060               |      |      |      |      |
| LI09      | 931 X 2060               |      |      |      |      |
| LI010     | 1031 X 2060              |      |      |      |      |
| LI011     |                          |      |      |      |      |
| LI012     |                          |      |      |      |      |

#### COMBINATION ELEMENT:

Single Door element  
Double Door element  
Renovation element  
Automation element



# Special doors




Get the sound  
waves under control  
— use Liune.



# D18 CALM

## A pocket door with sound insulation Rw 32 dB.

The structure of the door is a special dB-structure. When the door is closed inside the counter jamb, the seal threshold falls automatically from the door in place.



### DOOR

The door is specially manufactured from homogenous MDF-material. When the door is closed inside the counter jamb, a seal threshold falls automatically from the bottom of the door leaf closing the gap between it and the floor. Special orders can be made with doors and jamb covers in different colours or with different plating.



### COVERING JAMBS

The covering jambs are specially manufactured with sound-proofing brushes. The standard colour of the covering jambs are Liune white, NCS 0502-Y (RAL 9010), as is the door leaf. The gloss level is satin.

### ELEMENT

After installing plasterboards, and before the installation of the door leaf, acoustic wool is installed in the wall element. The acoustic wool is included in the delivery.

| MATERIAL         | SPECIAL MADE DB DOOR         |
|------------------|------------------------------|
| THICK            | 25 mm                        |
| SURFACE          | SATIN                        |
| COLOUR           | WHITE NCS S0502-Y / RAL 9010 |
| SOUND INSULATION | Rw 32 dB                     |
| FEATURES         | HIGH SOUND INSULATION        |



| Door size | Door leaf width x height |      |      |      |      |
|-----------|--------------------------|------|------|------|------|
|           | 2100                     | 2300 | 2400 | 2500 | 2600 |
| LI04      |                          |      |      |      |      |
| LI05      |                          |      |      |      |      |
| LI06      |                          |      |      |      |      |
| LI07      | 781 X 2060               |      |      |      |      |
| LI08      | 881 X 2060               |      |      |      |      |
| LI09      | 981 X 2060               |      |      |      |      |
| LI010     | 1081 X 2060              |      |      |      |      |
| LI011     | 1181 X 2060              |      |      |      |      |
| LI012     | 1281 X 2060              |      |      |      |      |

### COMBINATION ELEMENT:


Single door element 95 mm




# D22 SAFE

# D22 SAFE

**Liune SAFE** is developed for premises where it is important to prevent the occurrence or growth of microflora. Liune SAFE suits hospitals, kindergartens, schools but also premises within the food industry and restaurants. The door, jamb kit and handles have antibacterial surfaces.



|                         |   |
|-------------------------|---|
| <b>MATERIAL</b>         | <b>SOLID MDF</b>                                |
| <b>THICK</b>            | <b>25 mm</b>                                    |
| <b>SURFACE</b>          | <b>ANTIBACTERIAL SATIN</b>                      |
| <b>COLOUR</b>           | <b>WHITE NCS S0502-Y / RAL 9010</b>             |
| <b>SOUND INSULATION</b> | <b>Rw 23 dB</b>                                 |
| <b>FEATURES</b>         | <b>ANTIBACTERIAL DOOR, JAMB KIT AND HANDLES</b> |




| Door size | Door leaf width x height |             |             |             |             |
|-----------|--------------------------|-------------|-------------|-------------|-------------|
|           | 2100                     | 2300        | 2400        | 2500        | 2600        |
| LI04      | 431 X 2060               |             |             |             |             |
| LI05      | 531 X 2060               |             |             |             |             |
| LI06      | 631 X 2060               |             |             |             |             |
| LI07      | 731 X 2060               | 731 X 2310  |             |             |             |
| LI08      | 831 X 2060               | 831 X 2310  | 831 X 2410  | 831 X 2510  | 831 X 2610  |
| LI09      | 931 X 2060               | 931 X 2310  | 931 X 2410  | 931 X 2510  | 931 X 2610  |
| LI010     | 1031 X 2060              | 1031 X 2310 | 1031 X 2410 | 1031 X 2510 | 1031 X 2610 |
| LI011     | 1131 X 2060              | 1131 X 2310 | 1131 X 2410 | 1131 X 2510 | 1131 X 2610 |
| LI012     | 1231 X 2060              | 1231 X 2310 | 1231 X 2410 | 1231 X 2510 | 1231 X 2610 |

## COMBINATION ELEMENT:

Single Door element  
Double Door element  
Renovation element  
Automation element





# Surface doors





# D15 BASIC SURFACE

The surface-mounted sliding door from Liune is to be installed hanging on the wall. The surface system includes a door leaf and the installation package. The door and the panel for the sliding track can be tinted to match your interior design plans.



|                         |  |
|-------------------------|--|
| <b>MATERIAL</b>         | <b>ALL MDF DOOR MODELS</b>   |
| <b>THICK</b>            | <b>25-40 mm</b>  |
| <b>SURFACE</b>          | <b>ACCORDING TO DOOR MODEL</b>   |
| <b>COLOUR</b>           | <b>ACCORDING TO DOOR MODEL</b>   |
| <b>SOUND INSULATION</b> | <b>-</b>   |
| <b>FEATURES</b>         | <b>PANEL IS STANDARD WHITE, TIKKURILA'S FULL COLOUR RANGE IS AVAILABLE</b> |

|                         |  |
|-------------------------|--|
| <b>MATERIAL</b>         | <b>TEMPERED SAFETY GLASS</b>                         |
| <b>THICK</b>            | <b>8 mm</b>  |
| <b>SURFACE</b>          | <b>GLASS</b>   |
| <b>COLOUR</b>           | <b>BRIGHT – OPAL – GREY OPAL – DARK GREY – BLACK</b> |
| <b>SOUND INSULATION</b> | <b>-</b>   |
| <b>FEATURES</b>         | <b>-</b>   |

| Door size | Door opening | Door leaf width x height MDF |             |
|-----------|--------------|------------------------------|-------------|
|           |              | 2100                         | 2300        |
| LI07      | 700          | 780 X 2135                   | 780 X 2335  |
| LI08      | 800          | 880 X 2135                   | 880 X 2335  |
| LI09      | 900          | 980 X 2135                   | 980 X 2335  |
| LI010     | 1000         | 1080 X 2135                  | 1080 X 2335 |
| LI011     | 1100         | 1180 X 2135                  | 1180 X 2335 |
| LI012     | 1200         | 1280 X 2135                  | 1280 X 2335 |
| LI013     | 1300         | 1380 X 2135                  | 1380 X 2335 |
| LI014     | 1400         | 1480 X 2135                  | 1480 X 2335 |

| Door size | Door opening | Door leaf width x height GLASS |             |
|-----------|--------------|--------------------------------|-------------|
|           |              | 2100                           | 2300        |
| LI07      | 700          | 780 X 2100                     | 780 X 2300  |
| LI08      | 800          | 880 X 2100                     | 880 X 2300  |
| LI09      | 900          | 980 X 2100                     | 980 X 2300  |
| LI010     | 1000         | 1080 X 2100                    | 1080 X 2300 |
| LI011     | 1100         | 1180 X 2100                    |             |
| LI012     | 1200         | 1280 X 2100                    |             |
| LI013     | 1300         |                                |             |
| LI014     | 1400         |                                |             |







# D15 SURFACE DECORATION

The **surface-mounted sliding door** from Liune is to be installed hanging on the wall. The surface system includes a door leaf and the installation package. Technical implementation of Liune guarantees a beautiful light result.



|                         |                         |
|-------------------------|-------------------------|
| <b>MATERIAL</b>         | ALL MDF DOOR MODELS     |
| <b>THICK</b>            | 32-40 mm                |
| <b>SURFACE</b>          | ACCORDING TO DOOR MODEL |
| <b>COLOUR</b>           | ACCORDING TO DOOR MODEL |
| <b>SOUND INSULATION</b> | -                       |
| <b>FEATURES</b>         | BLACK RAIL              |



Matt black hanging rail and brackets with black CITY Loft door.


| Door size | Door opening | Door leaf width x height 2100 |
|-----------|--------------|-------------------------------|
| LI07      | 700          | 780 X 2135                    |
| LI08      | 800          | 880 X 2135                    |
| LI09      | 900          | 980 X 2135                    |
| LI010     | 1000         | 1080 X 2135                   |





# Art and print doors

Magnetic plate  
with image  
is easy  
to change.




# D14 MY LIUNE

**A picture or photo printed on a solid door surface.** What an incredible way to get a door just for you. Choose from our collection or send your own picture. The material requirement of the final printed picture is CMYK. Formats: jpg, tiff or eps. The picture has to be 1:1 in size 300 dpi to get the material printable.



|                 |                                |
|-----------------|--------------------------------|
| <b>MATERIAL</b> | <b>SOLID MDF</b>               |
| <b>THICK</b>    | <b>25 mm</b>                   |
| <b>COLOUR</b>   | <b>PRINT ON THE DOOR</b>       |
| <b>MATERIAL</b> | <b>CHIPBOARD</b>               |
| <b>THICK</b>    | <b>27 mm</b>                   |
| <b>COLOUR</b>   | <b>PRINT ON MAGNETIC PLATE</b> |
| <b>FEATURES</b> | <b>PRINT IS EXCHANGEABLE</b>   |
| <b>MATERIAL</b> | <b>TEMPERED SAFETY GLASS</b>   |
| <b>THICK</b>    | <b>8 mm</b>                    |
| <b>COLOUR</b>   | <b>BRIGHT</b>                  |



| Door size | Door leaf width x height MDF / CHIPBOARD |             |             |             |             | Door leaf width x height GLASS |             |
|-----------|--|-------------|-------------|-------------|-------------|--------------------------------|-------------|
|           | 2100                                     | 2300        | 2400        | 2500        | 2600        | 2100                           | 2300        |
| LI04      |  |             |             |             |             |                                |             |
| LI05      |  |             |             |             |             |                                |             |
| LI06      | 631 X 2060                               |             |             |             |             | 631 X 2040                     |             |
| LI07      | 731 X 2060                               | 731 X 2310  |             |             |             | 731 X 2040                     | 731 X 2290  |
| LI08      | 831 X 2060                               | 831 X 2310  | 831 X 2410  | 831 X 2510  | 831 X 2610  | 831 X 2040                     | 831 X 2290  |
| LI09      | 931 X 2060                               | 931 X 2310  | 931 X 2410  | 931 X 2510  | 931 X 2610  | 931 X 2040                     | 931 X 2290  |
| LI010     | 1031 X 2060                              | 1031 X 2310 | 1031 X 2410 | 1031 X 2510 | 1031 X 2610 | 1031 X 2040                    | 1031 X 2290 |
| LI011     | 1131 X 2060                              | 1131 X 2310 | 1131 X 2410 | 1131 X 2510 | 1131 X 2610 | 1131 X 2040                    |             |
| LI012     | 1231 X 2060                              | 1231 X 2310 | 1231 X 2410 | 1231 X 2510 | 1231 X 2610 | 1231 X 2040                    |             |




# D20 ART



# D20 ART

The **Liune ART -door collection** brings art to everyday life in a unique way. The deepest purpose of art is to create experiences and feelings, but art does not just have to hang on the wall, it can also be present at home in the decoration, textiles, and even in surprising places.




|                 |                          |
|-----------------|--------------------------|
| <b>MATERIAL</b> | <b>MASSIVE MDF</b>       |
| <b>THICK</b>    | <b>25 mm</b>             |
| <b>COLOUR</b>   | <b>PRINT ON THE DOOR</b> |

|                 |                                |
|-----------------|--------------------------------|
| <b>MATERIAL</b> | <b>CHIPBOARD</b>               |
| <b>THICK</b>    | <b>27 mm</b>                   |
| <b>COLOUR</b>   | <b>PRINT ON MAGNETIC PLATE</b> |
| <b>FEATURES</b> | <b>PRINT IS EXCHANGEABLE</b>   |

|                 |                              |
|-----------------|------------------------------|
| <b>MATERIAL</b> | <b>TEMPERED SAFETY GLASS</b> |
| <b>THICK</b>    | <b>8 mm</b>                  |
| <b>COLOUR</b>   | <b>BRIGHT</b>                |



| Door size | Door leaf width x height MDF / CHIPBOARD 2100 |
|-----------|---|
| LI06      |   |
| LI07      | 731 X 2060                                    |
| LI08      | 831 X 2060                                    |
| LI09      | 931 X 2060                                    |
| LI010     | 1031 X 2060                                   |
| LI011     | 1131 X 2060                                   |
| LI012     | 1231 X 2060                                   |

| Door leaf width x height GLASS |             |
|--------------------------------|-------------|
| 2100                           | 2300        |
| 631 X 2040                     |             |
| 731 X 2040                     | 731 X 2290  |
| 831 X 2040                     | 831 X 2290  |
| 931 X 2040                     | 931 X 2290  |
| 1031 X 2040                    | 1031 X 2290 |
| 1131 X 2040                    |             |
| 1231 X 2040                    |             |

## COMBINATION ELEMENT:

**Single Door element**  
**Double Door element**  
**Corner Door element**  
**Renovation element**  
**Automation element**




**MOOMIN**® *by*  **LIUNE**®  
SIMPLIFY YOUR DOORS

# MOOMIN BY LIUNE

Beloved Moomins now have adventures in Liune doors. The Moomin collection offers classics and newer Moomin-themed pictures in colour and black and white.



|                         |                                 |
|-------------------------|---------------------------------|
| <b>MATERIAL</b>         | <b>SOLID MDF, GLASS</b>         |
| <b>THICK</b>            | <b>8-25 mm</b>                  |
| <b>SURFACE</b>          | <b>ACCORDING TO DOOR MODEL</b>  |
| <b>COLOUR</b>           | <b>WHITE/PRINT</b>              |
| <b>SOUND INSULATION</b> | <b>ACCORDING TO DOOR MODEL</b>  |
| <b>FEATURES</b>         | <b>MOOMIN PRINT ON THE DOOR</b> |



| Door size | Door leaf width x height MDF<br>2100 | Door leaf width x height GLASS |             |
|-----------|--------------------------------------|--------------------------------|-------------|
|           |                                      | 2100                           | 2300        |
| LI06      |                                      | 631 X 2040                     |             |
| LI07      | 731 X 2060                           | 731 X 2040                     | 731 X 2290  |
| LI08      | 831 X 2060                           | 831 X 2040                     | 831 X 2290  |
| LI09      | 931 X 2060                           | 931 X 2040                     | 931 X 2290  |
| LI010     | 1031 X 2060                          | 1031 X 2040                    | 1031 X 2290 |
| LI011     | 1131 X 2060                          | 1131 X 2040                    |             |
| LI012     | 1231 X 2060                          | 1231 X 2040                    |             |

## COMBINATION ELEMENT:

Single Door element  
Double Door element  
Corner Door element  
Renovation element  
Automation element







# Liune black




Door, jambs and  
handles — everything  
black.




# D21 BLACK MDF

**When you don't want to compromise on style.** Liune's most popular door model is available in black. The door design ensures Liune quality by improving the accessibility and freeing the spaces. LIUNE BLACK is the high-quality and reliable choice made by the style-conscious designer. A black solid door, handles and jamb kit.



|                         |                                     |
|-------------------------|-------------------------------------|
| <b>MATERIAL</b>         | <b>SOLID MDF</b>                    |
| <b>THICK</b>            | <b>25 mm</b>                        |
| <b>SURFACE</b>          | <b>SATIN</b>                        |
| <b>COLOUR</b>           | <b>BLACK NCS S9000-N / RAL 9005</b> |
| <b>SOUND INSULATION</b> | <b>Rw 23 dB</b>                     |
| <b>FEATURES</b>         | <b>BLACK JAMBS</b>                  |



| Door size | Door leaf width x height |             |             |             |             |
|-----------|--------------------------|-------------|-------------|-------------|-------------|
|           | 2100                     | 2300        | 2400        | 2500        | 2600        |
| LI04      | 431 X 2060               |             |             |             |             |
| LI05      | 531 X 2060               |             |             |             |             |
| LI06      | 631 X 2060               |             |             |             |             |
| LI07      | 731 X 2060               | 731 X 2310  |             |             |             |
| LI08      | 831 X 2060               | 831 X 2310  | 831 X 2410  | 831 X 2510  | 831 X 2610  |
| LI09      | 931 X 2060               | 931 X 2310  | 931 X 2410  | 931 X 2510  | 931 X 2610  |
| LI010     | 1031 X 2060              | 1031 X 2310 | 1031 X 2410 | 1031 X 2510 | 1031 X 2610 |
| LI011     | 1131 X 2060              | 1131 X 2310 | 1131 X 2410 | 1131 X 2510 | 1131 X 2610 |
| LI012     | 1231 X 2060              | 1231 X 2310 | 1231 X 2410 | 1231 X 2510 | 1231 X 2610 |

## COMBINATION ELEMENT:

Single Door element  
Double Door element  
Renovation element  
Automation element




# D21 BLACK




# D21 BLACK GLASS

**When you don't want to compromise on style.** The door design ensures Liune quality by improving the accessibility and freeing the spaces. LIUNE BLACK is the high-quality and reliable choice made by the style-conscious designer. A black glass door, handles and jamb kit.



|                         |                              |
|-------------------------|------------------------------|
| <b>MATERIAL</b>         | <b>TEMPERED SAFETY GLASS</b> |
| <b>THICK</b>            | <b>8 mm</b>                  |
| <b>SURFACE</b>          | <b>GLASS</b>                 |
| <b>COLOUR</b>           | <b>DARK BLACK GLASS</b>      |
| <b>SOUND INSULATION</b> | <b>Rw 17 dB</b>              |
| <b>FEATURES</b>         | <b>BLACK JAMBS</b>           |



| Door size | Door leaf width x height |             |      |      |      |
|-----------|--------------------------|-------------|------|------|------|
|           | 2100                     | 2300        | 2400 | 2500 | 2600 |
| LI04      | 431 X 2040               |             |      |      |      |
| LI05      | 531 X 2040               |             |      |      |      |
| LI06      | 631 X 2040               |             |      |      |      |
| LI07      | 731 X 2040               | 731 X 2290  |      |      |      |
| LI08      | 831 X 2040               | 831 X 2290  |      |      |      |
| LI09      | 931 X 2040               | 931 X 2290  |      |      |      |
| LI010     | 1031 X 2040              | 1031 X 2290 |      |      |      |
| LI011     | 1131 X 2040              |             |      |      |      |
| LI012     | 1231 X 2040              |             |      |      |      |

## COMBINATION ELEMENT:

Single Door element  
Double Door element  
Corner Door element  
Renovation element  
Automation element



# CORNER LIUNE

# LIUNE MEASUREMENTS

Select the element on the preferred door size or on the maximum room available for your element at your project. There are elements in five different depths, 66, 70, 75, 95, 120 mm. Combine the door with the element that suits your needs.

We have the following elements, single door element, double door element, corner element, renovation element, automation element, decibel element and sauna element.



**SINGLE DOOR & ELEMENT**



**DOUBLE DOOR & ELEMENT**

| Door size          | Door opening** | Element width x height | Installation opening width x height* | Door leaf width x height |
|--------------------|----------------|------------------------|--------------------------------------|--------------------------|
| <b>SINGLE DOOR</b> |                |                        |                                      |                          |
| LI06               | 610            | 1335 / 2130            | 1350 / 2170                          | 631 2060                 |
| LI07               | 710            | 1535 / 2130            | 1550 / 2170                          | 731 2060                 |
| LI08               | 810            | 1735 / 2130            | 1750 / 2170                          | 831 2060                 |
| LI09               | 910            | 1935 / 2130            | 1950 / 2170                          | 931 2060                 |
| LI010              | 1010           | 2135 / 2130            | 2150 / 2170                          | 1031 2060                |
| LI012              | 1210           | 2535 / 2130            | 2550 / 2170                          | 1231 2060                |
| <b>DOUBLE DOOR</b> |                |                        |                                      |                          |
| LI08               | 834            | 1738 / 2130            | 1758 / 2170                          | 431+431 2060             |
| LI010              | 1034           | 2138 / 2130            | 2158 / 2170                          | 531+531 2060             |
| LI012              | 1234           | 2538 / 2130            | 2558 / 2170                          | 631+631 2060             |
| LI014              | 1434           | 2938 / 2130            | 2958 / 2170                          | 731+731 2060             |
| LI016              | 1634           | 3338 / 2130            | 3358 / 2170                          | 831+831 2060             |
| LI018              | 1834           | 3738 / 2130            | 3758 / 2170                          | 931+931 2060             |
| LI020              | 2034           | 4138 / 2130            | 4158 / 2170                          | 1031+1031 2060           |

## DOOR OPENING

Door opening width is the same for doors with 2100-2600 mm height.


\*)Floor installation has been taken into account with 40 mm extra height.

\*\*)With embedded handles the door leaf can be fully concealed by sliding it into the wall structure, protruding handles reduce the door opening by 100 mm.



# SINGLE DOOR ELEMENT

The element is delivered welded in two parts, the two parts are attached together on site.  
Besides that only the sliding track, door and jamb kit need to be installed on site.




**LIUNE ELEMENT**  
wooden door




**WET AREA ELEMENT**  
wooden door  
wet area



**GLASS ELEMENT**  
glass door  
wet area



| MATERIAL | WELDED GALVANIZED STEEL WITH ALUMINIUM TRACK       |             |            |
|----------|--|-------------|------------|
| DOOR     | ELEMENT  | WOODEN DOOR | GLASS DOOR |
|          | 66   | 25-32 mm    | 8 mm       |
|          | 70   | 25-32 mm    | 8 mm       |
|          | 75   | 25-32-40 mm | 8 mm       |
|          | 95   | 25-32-40 mm | 8 mm       |
|          | 120  | 25-32-40 mm | 8 mm       |
| FEATURES | SPACE FOR ELECTRICAL CONDUIT IN ELEMENT 95 AND 120 |             |            |



| Element size | Element width x height |             |             |             |             |
|--------------|------------------------|-------------|-------------|-------------|-------------|
|              | 2100                   | 2300        | 2400        | 2500        | 2600        |
| LI06         | 1335 X 2130            |             |             |             |             |
| LI07         | 1535 X 2130            | 1535 X 2380 |             |             |             |
| LI08         | 1735 X 2130            | 1735 X 2380 | 1735 X 2480 | 1735 X 2580 | 1735 X 2680 |
| LI09         | 1935 X 2130            | 1935 X 2380 | 1935 X 2480 | 1935 X 2580 | 1935 X 2680 |
| LI010        | 2135 X 2130            | 2135 X 2380 | 2135 X 2480 | 2135 X 2580 | 2135 X 2680 |
| LI011        | 2335 X 2130            | 2335 X 2380 | 2335 X 2480 | 2335 X 2580 | 2335 X 2680 |
| LI012        | 2535 X 2130            | 2535 X 2380 | 2535 X 2480 | 2535 X 2580 | 2535 X 2680 |

# DOUBLE DOOR ELEMENT

The element is delivered welded in three parts, the three parts are attached together on site.  
Besides that only the sliding track, door and jamb kit need to be installed on site.




**LIUNE ELEMENT**  
wooden door




**WET AREA ELEMENT**  
wooden door  
wet area



**GLASS ELEMENT**  
glass door  
wet area




| MATERIAL | WELDED GALVANIZED STEEL WITH ALUMINIUM TRACK       |             |            |
|----------|--|-------------|------------|
| DOOR     | ELEMENT  | WOODEN DOOR | GLASS DOOR |
|          | 66   | 25-32 mm    | 8 mm       |
|          | 70   | 25-32 mm    | 8 mm       |
|          | 75   | 25-32-40 mm | 8 mm       |
|          | 95   | 25-32-40 mm | 8 mm       |
|          | 120  | 25-32-40 mm | 8 mm       |
| FEATURES | SPACE FOR ELECTRICAL CONDUIT IN ELEMENT 95 AND 120 |             |            |



| Element size | Element width x height |             |             |             |             | Door size |
|--------------|------------------------|-------------|-------------|-------------|-------------|-----------|
|              | 2100                   | 2300        | 2400        | 2500        | 2600        |           |
| LI08         | 1738 X 2130            |             |             |             |             | 2 X LI04  |
| LI010        | 2138 X 2130            |             |             |             |             | 2 X LI05  |
| LI012        | 2538 X 2130            |             |             |             |             | 2 X LI06  |
| LI014        | 2938 X 2130            | 2938 X 2380 |             |             |             | 2 X LI07  |
| LI016        | 3338 X 2130            | 3338 X 2380 | 3338 X 2480 | 3338 X 2580 | 3338 X 2680 | 2 X LI08  |
| LI018        | 3738 X 2130            | 3738 X 2380 | 3738 X 2480 | 3738 X 2580 | 3738 X 2680 | 2 X LI09  |
| LI020        | 4138 X 2130            | 4138 X 2380 | 4138 X 2480 | 4138 X 2580 | 4138 X 2680 | 2 X LI010 |

# CORNER ELEMENT

The element is delivered welded in three parts, the three parts are attached together on site.  
Besides that only the sliding track, doors and jamb kit need to be installed on site.



**CORNER LIUNE ELEMENT**  
wooden door



**CORNER WET AREA ELEMENT**  
wooden door  
wet area



**CORNER GLASS ELEMENT**  
glass door  
wet area



| MATERIAL | WELDED GALVANIZED STEEL WITH ALUMINIUM TRACK |             |            |
|----------|--|-------------|------------|
| DOOR     | ELEMENT                                      | WOODEN DOOR | GLASS DOOR |
|          | 75   | 40 mm       | 8 mm       |
|          | 95   | 40 mm       | 8 mm       |
| FEATURES | SPACE FOR ELECTRICAL CONDUIT IN ELEMENT 95   |             |            |



| Element size | Element width x height |                    |                    |                    |                    | Door size |
|--------------|------------------------|--------------------|--------------------|--------------------|--------------------|-----------|
|              | 2100                   | 2300               | 2400               | 2500               | 2600               |           |
| LI014        | 1520 X 1480 X 2130     | 1520 X 1480 X 2380 |                    |                    |                    | 2 X LI07  |
| LI016        | 1720 X 1680 X 2130     | 1720 X 1680 X 2380 | 1720 X 1680 X 2480 | 1720 X 1680 X 2580 | 1720 X 1680 X 2680 | 2 X LI08  |
| LI018        | 1920 X 1880 X 2130     | 1920 X 1880 X 2380 | 1920 X 1880 X 2480 | 1920 X 1880 X 2580 | 1920 X 1880 X 2680 | 2 X LI09  |
| LI020        | 2120 X 2080 X 2130     | 2120 X 2080 X 2380 | 2120 X 2080 X 2480 | 2120 X 2080 X 2580 | 2120 X 2080 X 2680 | 2 X LI010 |

\* 75 mm element width - 20 mm example LI014 x 2100 is 1500 x 1480 x 2130.



# RENOVATION ELEMENT

Renovation elements are supplied without the counter stud so that the space used for element installation is maximized. The element is delivered welded in two parts, the two parts are attached together on site. Besides that only the sliding track, door and jamb kit need to be installed on site.



**LIUNE ELEMENT**  
wooden door




**WET AREA ELEMENT**  
wooden door  
wet area



**GLASS ELEMENT**  
glass door  
wet area



| MATERIAL | WELDED GALVANIZED STEEL WITH ALUMINIUM TRACK       |             |            |
|----------|--|-------------|------------|
| DOOR     | ELEMENT  | WOODEN DOOR | GLASS DOOR |
|          | 66   | 25-32 mm    | 8 mm       |
|          | 70   | 25-32 mm    | 8 mm       |
|          | 75   | 25-32-40 mm | 8 mm       |
|          | 95   | 25-32-40 mm | 8 mm       |
|          | 120  | 25-32-40 mm | 8 mm       |
| FEATURES | SPACE FOR ELECTRICAL CONDUIT IN ELEMENT 95 AND 120 |             |            |




| Element size | Element width x height |             |             |             |             |
|--------------|------------------------|-------------|-------------|-------------|-------------|
|              | 2100                   | 2300        | 2400        | 2500        | 2600        |
| LI06         | 1280 X 2130            |             |             |             |             |
| LI07         | 1480 X 2130            | 1480 X 2380 |             |             |             |
| LI08         | 1680 X 2130            | 1680 X 2380 | 1680 X 2480 | 1680 X 2580 | 1680 X 2680 |
| LI09         | 1880 X 2130            | 1880 X 2380 | 1880 X 2480 | 1880 X 2580 | 1880 X 2680 |
| LI010        | 2080 X 2130            | 2080 X 2380 | 2080 X 2480 | 2080 X 2580 | 2080 X 2680 |
| LI011        | 2280 X 2130            | 2280 X 2380 | 2280 X 2480 | 2280 X 2580 | 2280 X 2680 |
| LI012        | 2480 X 2130            | 2480 X 2380 | 2480 X 2480 | 2480 X 2580 | 2480 X 2680 |

# AUTOMATION ELEMENT


The element is delivered welded in one part. Besides that only the sliding track, door and jamb kit need to be installed on site. All parts of sliding door mechanism are already installed to the sliding track. Automation is switched on in combination with the other electrical work.



**LIUNE ELEMENT**  
wooden door



**GLASS ELEMENT**  
glass door  
wet area



| MATERIAL | WELDED GALVANIZED STEEL WITH ALUMINIUM TRACK |             |            |
|----------|--|-------------|------------|
| DOOR     | ELEMENT                                      | WOODEN DOOR | GLASS DOOR |
|          | 95   | 25-32-40 mm | 8 mm       |
| FEATURES | SPACE FOR ELECTRICAL CONDUIT IN ELEMENT      |             |            |



95

| Element size | Element width x height |             |      |      |      |
|--------------|------------------------|-------------|------|------|------|
|              | 2100                   | 2300        | 2400 | 2500 | 2600 |
| LI06         |                        |             |      |      |      |
| LI07         |                        |             |      |      |      |
| LI08         | 1735 X 2140            | 1735 x 2390 |      |      |      |
| LI09         | 1935 X 2140            | 1935 x 2390 |      |      |      |
| LI010        | 2135 X 2140            | 2135 x 2390 |      |      |      |
| LI011        | 2335 X 2140            | 2335 x 2390 |      |      |      |
| LI012        | 2535 X 2140            | 2535 x 2390 |      |      |      |

# SAUNA ELEMENT

The element is delivered welded in two parts, the two parts are attached together on site.  
Besides that only the sliding track, door and jamb kit need to be installed on site.



|                 |   |                    |                   |
|-----------------|---|--------------------|-------------------|
| <b>MATERIAL</b> | <b>WELDED GALVANIZED STEEL WITH ALUMINIUM TRACK</b> |                    |                   |
| <b>DOOR</b>     | <b>ELEMENT</b>                                      | <b>WOODEN DOOR</b> | <b>GLASS DOOR</b> |
|                 | 95  | 32 mm              | 8 mm              |
|                 | 120   | 32 mm              | 8 mm              |
| <b>FEATURES</b> | <b>THE STRUCTURE HAS BEEN HUMIDITY TESTED</b>       |                    |                   |



| Element size | Element width x height |      |      |      |      |
|--------------|------------------------|------|------|------|------|
|              | 2100                   | 2300 | 2400 | 2500 | 2600 |
| LI06         |                        |      |      |      |      |
| LI07         |                        |      |      |      |      |
| LI08         | 1735 X 2130            |      |      |      |      |
| LI09         | 1935 X 2130            |      |      |      |      |
| LI010        | 2135 X 2130            |      |      |      |      |
| LI011        | 2335 X 2130            |      |      |      |      |
| LI012        | 2535 X 2130            |      |      |      |      |



# TECHNICAL FEATURES

## ELECTRICAL INSTALLATIONS


Liune's wet area 95-120 mm element is prepared for electrical conduits already at the factory. The profile forms an electrical conduit tube where the cables can be installed safely.

## PARTITION WALL PANELLING

Boards intended for wet areas should be used in the wet room panelling according to the manufacturer's instruction. The door element can be panelled with wet area boards or cement based boards.

## PLUMBING

Plumbing can also be fitted into the Liune element if the element depth is 120 mm.



## FURNISHING ON THE ELEMENT

Furnishing can be installed on the Liune element by using special supports. The profiles are manufactured from strong steel as S350GD+Z.



# LIUNE-JAMB KIT

The Liune Door Jambs are pre cut to fit the Liune doors perfectly and together they create a stunning stylish result.

Depending on the chosen door model we have different types of door jambs. The standard door jamb is satin white (NCS S0502-Y /RAL 9010) painted mdf. As an alternative Tikkurila's full colour range is available. The standard dimension is for one plasterboard per side.

## LIUNE JAMBS

Smooth and beautiful door jambs.

## LIUNE JAMBS BLACK

Smooth and beautiful jambs in black.

## SURFACE JAMBS

The surface jambs and slender also hide the boarding edges at once. No separate surface moulding is required. The jambs are pre-cut to miter.

## GLASS JAMBS

Door jambs for the glass door.

## VENEERED JAMBS

The jambs are delivered on order with different wood veneers.

## DECIBEL JAMBS

Door jambs special for door D18 CALM in combination with the decibel element.

## SAUNA JAMBS

The sauna door jambs are made of thermal aspen. The increased wall depth due to tiling has been taken into account.

## WET AREA JAMBS

Moisture resistant paint protected door jambs for splash free spaces.

## ANTIBACTERIAL JAMBS

Door jambs with anti-bacterial surface special for door D22 SAFE.


## MAGNETIC JAMBS

Fast and easy installation. Very smooth result.

# LIUNE-HANDLES

Thanks to the embedded handles Liune Door hides completely inside the wall.  
The protruding handles in the collection remain visible, taking approx. 10 cm from the door opening.

## WOODEN DOOR



\*All RAL- and NCS-colours





## GLASS DOOR

LILY 304 mm



CHROME



STAINLESS STEEL

LUX 600 mm



GOLD

Liune Sauna 500 mm



ASPEN

LARA 60 mm



CHROME



BLACK



GOLD

LIVIA 60 mm



SILVER

LUCKY 60 mm



STAINLESS  
STEEL

# LIUNE-LOCKS

Thanks to the embedded locks Liune Door hides completely inside the wall.  
The protruding locks in the collection remain visible, taking approx. 10 cm from the door opening.

## WOODEN DOOR

L4 60 mm



CHROME

L10 60 mm



BLACK

L12 60 mm



STAINLESS  
STEEL

L13 60 mm



GOLD

## BATHROOM LOCK

L11 60 mm



CHROME

L11\_1 60 mm



MATT CHROME

L11\_2 60 mm



STAINLESS  
STEEL

L11\_3 60 mm



WHITE

L1 46 mm



CHROME

L1 46 mm



BLACK

L1 46 mm



STAINLESS STEEL

L1 46 mm



GOLD

**ALL LOCKS ABOVE ARE AVAILABLE FOR 25 mm AND 40 mm DOORS**

Locks for 25 mm doors come with a hatch.

Locks for 40 mm doors come with Abloy-lock case 4249



Abloy-lock case 4249



## WOODEN DOOR



L2

CHROME



L2

STAINLESS STEEL



L2

BLACK



L3 ILOG

CHROME



L3 ILOG

STAINLESS STEEL



L3 ILOG

BLACK

ALL LOCKS ABOVE ARE AVAILABLE FOR 25 mm AND 40 mm DOORS.

L8 MAGNETIC LOCK



Meets high security requirements (e.g. bank branches). Lock and converter for solid 40 mm wooden doors, allows code locking or electronic key for electronic access control (not incl).

L8 CODE LOCK



Electronic key operated locking system.  
(Option for L8 magnetic lock).

## GLASS DOOR

L5 RECESSED



CHROME  
MATT CHROME  
STAINLESS STEEL

L6 PROTRUDING



CHROME  
MATT CHROME  
GOLD  
STAINLESS STEEL

L9 PROTRUDING



BLACK  
STAINLESS STEEL



# HANDLE AND LOCK

## COMBINATION

Liune doors are not complete without the right door furniture. In addition, Liune door furniture will assist in seamlessly blending your interior design from room to room.

### WOODEN DOOR HANDLE AND LOCK IDEAS



**Liune chrome**  
L4 chrome




**Liune matt chrome**  
L4 chrome



**Liune black**  
L10 black



**Aune black**  
L10 black



**Lyra gold**  
L13 gold



**Leo chrome**  
L4 chrome




**Laura stainless steel**  
L3 chrome



**Line black**  
L2 black



**Line chrome**  
L4 chrome



**Lyra stainless steel**  
L3 stainless steel



**Luna stainless steel**  
L2 stainless steel

## BATHROOM WOODEN DOOR HANDLE AND LOCK IDEAS



**Liune matt chrome**  
**L11 matt chrome**



**Liune gold**  
**L1 gold**



**Liune black**  
**L1 black**



**Liune chrome**  
**L1 chrome**



**Liune white**  
**L11 white**



**Aune white**  
**L11 white**



**Leo chrome**  
**L1 chrome**



**Lyra stainless steel**  
**L11 stainless steel**



**Line chrome**  
**L1 chrome**



**Laura chrome**  
**L11 chrome**

## A LOCK IS AT SAME TIME A GLASS DOOR HANDLE



**L5 chrome**



**L6 matt chrome**



**L9 stainless steel**



**L6 gold**

# LIUNE-ACCESSORIES

## SOFT CLOSER

The soft closer softens the closing of the door by slowing down the door's movement while closing. It is compatible with all the different elements depths. For double doors we recommend Liune synchronization.

## LIUNE SYNCHRONIZATION

For the Liune double door element there is a possibility to buy the Liune synchronization mechanism. When manually moving one door leaf, the other door leaf moves at the same time.

## LIUNE AUTOMATION

Liune sliding door automation empowers perfect accessibility, optimal operation, durability and safety.

The machinery parts are pre-installed in the automation element. The sliding door is programmed to operate at a constant speed and comes standard with a pushbutton. Remote control and a motion sensor are also available.

## LIUNE SUPPORT PLATES

Support plates ensure that you can attach for example a cupboard where the Liune element is. There are two different sizes available 2100 x 150 x 1 mm and 1200 x 1250 x 1,5 mm.

## LIUNE COVER PLATES

Cover plates protect the door for minor damages. The height is 400 mm and there are four different widths: 800, 900, 1000 and 1200 mm.

## LIUNE INSTALLATION BLOCKS

The element needs to be installed at the same height as the final height of the floor. When installing the element the element has to be lifted the same height as the floor which will be installed later on. There are installation blocks in 4 different heights 10, 15, 20 and 40 mm.

## LIUNE THRESHOLD

- Flexible threshold.
- Bathroom threshold.

## LIUNE CORNER PROFILE

Stainless steel corner profile 15 x 15 x 1500 mm.

## PARTITION WALL PROFILES

- Partition stud 66, 70, 75, 95 or 120 mm  
10 pieces 2600 or 3000 mm.
- Partition runner 66, 70, 75, 95 or 120 mm  
2 pieces 3000 mm.
- Foam tape 40 x 3 mm




# LIUNE-PROPERTIES

## POP-UP LATCH

Liune doors slide completely inside the wall when the door is equipped with an embedded handle. A pop-up latch is embedded at handle height in the rear edge of all wooden doors. In glass doors the pop-up latch is placed on top of the door. The latch locks the door inside the element and helps the door to pop out from the wall when the door is closed.



1. Free passage is obtained by lightly pushing the edge of the door leaf at handle height.
2. The door is released from the wall by pushing again at handle height, the handle will be partly visible.
3. By pulling the handle the door moves parallel with the wall.




## MAINTENANCE

No maintenance is needed for the door element.

The door leaf and door jambs can be wiped with mild, non-abrasive detergents.

By removing the door jambs it is possible to replace the door leaf, pop up latch, wheels and soft closer if necessary.




# LIUNE-DELIVERY



**DOOR**



**ELEMENT**




**JAMB KIT**



**ACCESSORIES**




**INSTALLATION KIT**



**INSTALLATION  
INSTRUCTIONS**

# LIUNE-INSTALLATION

Liune Pocket Doors are easy to install both for do-it-yourself and professional builders.



1. Build the partition wall based on the dimensions of the chosen element.
2. Assemble and install the element.
3. Cover the element and partition wall with plasterboard.
4. After finishing the partition wall according to your wishes, install the door and jamb kit.

An extensive installation instruction is included in the LIUNE-DELIVERY.  
The installation instruction is also available online [www.liunedoor.com](http://www.liunedoor.com)



INSTALLATION INSTRUCTION



# LIUNE-ORDER

## GENERAL INFORMATION

### COMPANY INFORMATION

|                   |                      |
|-------------------|----------------------|
| Order number      | <input type="text"/> |
| Order date        | <input type="text"/> |
| Company name      | <input type="text"/> |
| Contact name      | <input type="text"/> |
| Address           | <input type="text"/> |
|                   | <input type="text"/> |
| Country           | <input type="text"/> |
| Phone             | <input type="text"/> |
| Extra information | <input type="text"/> |
|                   | <input type="text"/> |

### DELIVERY INFORMATION

|               |                      |
|---------------|----------------------|
| Delivery date | <input type="text"/> |
| Name          | <input type="text"/> |
| Address       | <input type="text"/> |
|               | <input type="text"/> |
| Country       | <input type="text"/> |
| Phone         | <input type="text"/> |

## 1. DOOR

|                              |                               |                               |                               |                               |                                |                               |                                |                                 |
|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|--------------------------------|-------------------------------|--------------------------------|---------------------------------|
| <input type="checkbox"/> LD1 | <input type="checkbox"/> LD7  | <input type="checkbox"/> LD14 | <input type="checkbox"/> LD21 | <input type="checkbox"/> LI04 | <input type="checkbox"/> LI09  | <input type="checkbox"/> 2100 | <input type="checkbox"/> 8 mm  | <input type="checkbox"/> WHITE  |
| <input type="checkbox"/> LD2 | <input type="checkbox"/> LD8  | <input type="checkbox"/> LD15 | <input type="checkbox"/> LD22 | <input type="checkbox"/> LI05 | <input type="checkbox"/> LI010 | <input type="checkbox"/> 2300 | <input type="checkbox"/> 25 mm | <input type="checkbox"/> BLACK  |
| <input type="checkbox"/> LD3 | <input type="checkbox"/> LD9  | <input type="checkbox"/> LD17 | <input type="checkbox"/> LD23 | <input type="checkbox"/> LI06 | <input type="checkbox"/> LI011 | <input type="checkbox"/> 2400 | <input type="checkbox"/> 27 mm | <input type="checkbox"/> OAK    |
| <input type="checkbox"/> LD4 | <input type="checkbox"/> LD10 | <input type="checkbox"/> LD18 | <input type="checkbox"/> LD24 | <input type="checkbox"/> LI07 | <input type="checkbox"/> LI012 | <input type="checkbox"/> 2500 | <input type="checkbox"/> 32 mm | <input type="checkbox"/> BIRCH  |
| <input type="checkbox"/> LD5 | <input type="checkbox"/> LD11 | <input type="checkbox"/> LD19 | <input type="checkbox"/> LD25 | <input type="checkbox"/> LI08 |                                | <input type="checkbox"/> 2600 | <input type="checkbox"/> 40 mm | <input type="checkbox"/> WALNUT |
| <input type="checkbox"/> LD6 | <input type="checkbox"/> LD13 | <input type="checkbox"/> LD20 | <input type="checkbox"/> LD26 |                               |                                |                               |                                | <input type="checkbox"/> PINE   |

## 2. ELEMENT

|                                     |   |                              |                                |                                |                               |
|-------------------------------------|---|------------------------------|--------------------------------|--------------------------------|-------------------------------|
| <input type="checkbox"/> SINGLE     | <input type="checkbox"/> LIUNE ELEMENT        | <input type="checkbox"/> 66  | <input type="checkbox"/> LI06  | <input type="checkbox"/> LI012 | <input type="checkbox"/> 2100 |
| <input type="checkbox"/> DOUBLE     | <input type="checkbox"/> WET AREA ELEMENT     | <input type="checkbox"/> 70  | <input type="checkbox"/> LI07  | <input type="checkbox"/> LI014 | <input type="checkbox"/> 2300 |
| <input type="checkbox"/> CORNER     | <input type="checkbox"/> GLASS ELEMENT        | <input type="checkbox"/> 75  | <input type="checkbox"/> LI08  | <input type="checkbox"/> LI016 | <input type="checkbox"/> 2400 |
| <input type="checkbox"/> RENOVATION | <input type="checkbox"/> DECIBEL ELEMENT      | <input type="checkbox"/> 95  | <input type="checkbox"/> LI09  | <input type="checkbox"/> LI018 | <input type="checkbox"/> 2500 |
| <input type="checkbox"/> AUTOMATION | <input type="checkbox"/> SAUNA ELEMENT        | <input type="checkbox"/> 120 | <input type="checkbox"/> LI010 | <input type="checkbox"/> LI020 | <input type="checkbox"/> 2600 |
|                                     | <input type="checkbox"/> SAUNA ELEMENT WINDOW |                              | <input type="checkbox"/> LI011 |                                |                               |

## 3. JAMB KIT

|                                     |   |                              |                                |                                |                               |                                |                                 |
|-------------------------------------|---|------------------------------|--------------------------------|--------------------------------|-------------------------------|--------------------------------|---------------------------------|
| <input type="checkbox"/> SINGLE     | <input type="checkbox"/> LIUNE JAMB KIT         | <input type="checkbox"/> 66  | <input type="checkbox"/> LI06  | <input type="checkbox"/> LI011 | <input type="checkbox"/> 2100 | <input type="checkbox"/> 8 mm  | <input type="checkbox"/> WHITE  |
| <input type="checkbox"/> DOUBLE     | <input type="checkbox"/> WET AREA JAMB KIT      | <input type="checkbox"/> 70  | <input type="checkbox"/> LI07  | <input type="checkbox"/> LI012 | <input type="checkbox"/> 2300 | <input type="checkbox"/> 25 mm | <input type="checkbox"/> BLACK  |
| <input type="checkbox"/> CORNER     | <input type="checkbox"/> GLASS JAMB KIT         | <input type="checkbox"/> 75  | <input type="checkbox"/> LI08  | <input type="checkbox"/> LI014 | <input type="checkbox"/> 2400 | <input type="checkbox"/> 27 mm | <input type="checkbox"/> OAK    |
| <input type="checkbox"/> RENOVATION | <input type="checkbox"/> DECIBEL JAMB KIT       | <input type="checkbox"/> 95  | <input type="checkbox"/> LI09  | <input type="checkbox"/> LI016 | <input type="checkbox"/> 2500 | <input type="checkbox"/> 32 mm | <input type="checkbox"/> BIRCH  |
| <input type="checkbox"/> AUTOMATION | <input type="checkbox"/> SAUNA JAMB KIT         | <input type="checkbox"/> 120 | <input type="checkbox"/> LI010 | <input type="checkbox"/> LI020 | <input type="checkbox"/> 2600 | <input type="checkbox"/> 40 mm | <input type="checkbox"/> WALNUT |
|                                     | <input type="checkbox"/> SURFACE JAMB KIT       |                              |                                |                                |                               |                                | <input type="checkbox"/> PINE   |
|                                     | <input type="checkbox"/> ANTIBACTERIAL JAMB KIT |                              |                                |                                |                               |                                |                                 |

## 4. HANDLES AND LOCKS

### HANDLES / WOODEN DOOR

- ☐ LIUNE STANDARD 150 mm MATT CHROME
- ☐ LIUNE STANDARD 150 mm WHITE
- ☐ LIUNE STANDARD 150 mm BLACK
- ☐ LIUNE STANDARD 150 mm CHROME
- ☐ LIUNE STANDARD 150 mm GOLD
- ☐ LUKE 144 mm SILVER
- ☐ LUKE 144 mm COLOUR
- ☐ LINE 250 mm CHROME
- ☐ LINE 250 mm BLACK
- ☐ LAURA 400 mm STAINLESS STEEL
- ☐ AUNE 60 mm MATT CHROME
- ☐ AUNE 60 mm WHITE
- ☐ AUNE 60 mm BLACK
- ☐ AUNE 60 mm CHROME
- ☐ AUNE 60 mm GOLD
- ☐ AUNE 60 mm COLOUR
- ☐ LYRA 60 mm STAINLESS STEEL
- ☐ LYRA 60 mm GOLD
- ☐ LYRA 60 mm BLACK
- ☐ LEO 46 mm CHROME
- ☐ LEO 46 mm BLACK
- ☐ LEO 46 mm GOLD
- ☐ LEO 46 mm STAINLESS STEEL
- ☐ LUNA 50 mm STAINLESS STEEL

### LOCKS / WOODEN DOOR

- ☐ L4 60 mm CHROME
- ☐ L10 60 mm BLACK
- ☐ L12 60 mm STAINLESS STEEL
- ☐ L13 60 mm GOLD
- ☐ L11 60 mm CHROME
- ☐ L11\_1 60 mm MATT CHROME
- ☐ L11\_2 60 mm STAINLESS STEEL
- ☐ L11\_3 60 mm WHITE
- ☐ L1 46 mm CHROME
- ☐ L1 46 mm STAINLESS STEEL
- ☐ L1 46 mm GOLD
- ☐ L1 46 mm BLACK
- ☐ L2 CHROME
- ☐ L2 STAINLESS STEEL
- ☐ L2 BLACK
- ☐ L3 ILOG CHROME
- ☐ L3 ILOG STAINLESS STEEL
- ☐ L3 ILOG BLACK
- ☐ L8 MAGNETIC LOCK
- ☐ L8 CODE LOCK

### HANDLES / GLASS DOOR

- ☐ LILY 304 mm CHROME
- ☐ LUX 600 mm GOLD
- ☐ LIUNE SAUNA 500 mm ASPEN
- ☐ LIVIA 60 mm SILVER
- ☐ LUCKY 60 mm STAINLESS STEEL
- ☐ LARA 60 mm CHROME
- ☐ LARA 60 mm BLACK
- ☐ LARA 60 mm GOLD

### LOCKS / GLASS DOOR

- ☐ L5 RECESSED CHROME
- ☐ L5 RECESSED MATT CHROME
- ☐ L5 RECESSED STAINLESS STEEL
- ☐ L6 PROTRUDING CHROME
- ☐ L6 PROTRUDING MATT CHROME
- ☐ L6 PROTRUDING STAINLESS STEEL
- ☐ L6 PROTRUDING GOLD
- ☐ L9 PROTRUDING BLACK
- ☐ L9 PROTRUDING STAINLESS STEEL

## 5. ACCESSORIES

- ☐ SOFT CLOSER
- ☐ LIUNE SYNCHRONIZATION

#### AUTOMATION:

- ☐ PUSH BUTTON
- ☐ MOTION SENSOR
- ☐ REMOTE CONTROL

- ☐ 4X INSTALLATION BLOCKS 10 mm
- ☐ 4X INSTALLATION BLOCKS 15 mm
- ☐ 4X INSTALLATION BLOCKS 20 mm
- ☐ 4X INSTALLATION BLOCKS 40 mm

- ☐ SUPPORT PLATE 2100 x 150 x 1 mm
- ☐ SUPPORT PLATE 1200 x 1250 x 1,5 mm

- ☐ COVER PLATE 800 x 400 mm
- ☐ COVER PLATE 900 x 400 mm
- ☐ COVER PLATE 1000 x 400 mm
- ☐ COVER PLATE 1200 x 400 mm

- ☐ CORNER PROFILE 15 x 15 x 1500 mm
- ☐ FLEXIBLE THRESHOLD
- ☐ BATHROOM THRESHOLD

#### PARTITION WALL PROFILES:

- ☐ 66 mm
- ☐ 70 mm
- ☐ 75 mm
- ☐ 95 mm
- ☐ 120 mm
- ☐ 10 x PARTITION STUD 2600 mm
- ☐ 10 x PARTITION STUD 3000 mm
- ☐ 2 x PARTITION RUNNER 3000 mm
- ☐ 30 meter FOAM TAPE 40 x 3 mm



### Liune element

We grant a 10 Year warranty for the Liune Door element. This presupposes that the installation instructions have been followed correctly and that the products are applied for home use.

### Warranty period

The warranty period for the element is valid ten (10) years from the date of purchase. The original receipt of payment is required as proof of purchase.

### Warranty covers what?

The warranty covers the element for dry premises assembled at the factory. The designer of the object is responsible for the suitability of the use in the premises and that the Liune element is used to its intended purpose.

### If problems occur

The manufacturer will examine and decide whether the detected fault is covered by the warranty or not. If the warranty coverage applies to the fault, the manufacturer repairs it. The manufacturer pays for the repair cost and the work and travel expenses of the repairers, provided that the accessibility to the product does not cause any additional costs. This does not apply to repair works that the manufacturer has not authorized.

### What the warranty does not cover:

The warranty does not apply if the product was defect when installed, incorrectly installed or if the damage is caused by improper storage, inappropriate use or has been modified.

Neither does the warranty cover normal wear and tear, defects caused by accidents, nor the effects of chemical reactions.

### Maintenance instructions

No maintenance is needed.

### Installation

A defect element is not to be installed.

If an element is defect, contact the manufacturer. The element is fastened when one side of the partition wall has been panelled, or to the vertical partition wall frame studs that frame the door element. The straightness of the element has to be secured. If you are uncertain about the installation, contact a professional builder.

### Legislation

The Buyer has rights under chapter 5 of the Consumer Production Act, which is not limited by this warranty.



### LIUNE DOOR SHOWROOM

Runeberginkatu 5, Helsinki  
Aleksanterinkatu 28, Tampere  
Tel +358 20 7341 400



Aulis Lundell Oy has been certified according to the ISO 9001 quality system since 2004.



EPD No. RTS\_38\_19  
LIUNE -door system  
with glass/MDF door

### Liune Door sales office:

Aulis Lundell Oy  
Tel +358 20 7341 400  
sales@liunedoor.com  
www.liunedoor.com

### Follow us



Aulis Lundell Oy has been operating under the environmental management system since 2004. Liune has utility model protections in the EU, Norway and the US.